



Allergic Rhinitis

Allergic rhinitis is an inflammation of the membranes of the nose and eyes caused by sensitivity to pollen, dust mites, animal dander or molds. It can be seasonal with symptoms corresponding to specific pollen peaks in spring or fall; perennial (the child has symptoms year round) or perennial with seasonal flare-ups. This sensitivity is mostly runs in family.

What are the symptoms?

The symptoms of allergic rhinitis are a runny or stuffy nose, itchy eyes, nose, throat and ears, sneezing and in some cases headache and fatigue. The timing of these symptoms is particularly important in helping us to determine that your child has allergic rhinitis and identify the allergens causing the problem. Common seasonal outdoor allergens include tree pollens (spring), spring grasses (late spring), weeds (summer and fall) and molds (primarily late fall and early spring). The most common perennial allergens are animal dander and dust mites- microscopic creatures that make up a large part of what we call house dust.

What can be done about it?

The first step is to help your child avoid the allergens as completely as possible. Your child can also take medication and if necessary receive a series of desensitizing injections.

Environmental controls- Indoors dust mites, animal dander and molds are the major problems. Dust mites live in bedding material, rugs, upholstered furniture, drapes etc. They feed on the skin cells, fabric fibers and food crumbs, and thrive in humid environments. Make every effort to make your home and especially your child's bedroom, less hospitable to these creatures:

- Cover the child's mattress and box spring with an airtight vinyl or nylon case that zips shut.
- Keep floors free of carpets. Damp mop or vacuum floors often.
- Remove drapes and upholstered furniture, substituting washable curtains and furniture that can be wiped clean with a damp cloth.
- Wash sheets, blankets, curtains, small rugs and stuffed animals frequently, using water hotter than 130' F whenever possible. Cold or warm water does not kill dust mites.
- If the child uses a pillow or comforter chooses one filled with a synthetic, hypoallergenic material such as Dacron, not down or feathers.
- Avoid wool blankets.
- Keep the humidity below 50% when possible. In summer this may require a dehumidifier or air conditioner.

It's best for the child with allergic rhinitis not to have a pet with fur or feathers. If you already have a pet that is too much a part of the family to give away, keep it out of reach of the child's bedroom. If the bedroom has no carpeting, a high-efficiency particulate-arresting (HEPA) filter will help decrease the

TRAVEL VACCINATION CENTER

*Somerset Professional Plaza • 1527 Rt. 27 South • Suite 1600 • Somerset NJ 08873 •
Dayton Professional center, 401 Ridge Rd. Suite 2, Dayton, NJ 08810
(732) 418-1700 • Fax (732) 249 9599*



animal allergen level. These measures make it possible for some children to tolerate animals to which they are allergic. Let us know if the child's symptoms worsen after touching the animal being licked by it or sitting on its favorite furniture.

Molds grow in bedding, rugs and furniture particularly when the humidity is high. The measures suggested for controlling dust mites will also help control molds. In addition use chlorine bleach to reduce mold growth in bathrooms, cellars and other damp areas. Keep these areas well ventilated.

Avoiding pollens is difficult because they are small and widely distributed. Pollen counts are highest in the early morning between 5 am and 10 am. Keeping your child's bedroom windows closed at night as well as during the day and drying linens indoors instead of an on outside line may help reduce exposure to pollens. If the child's bedroom has an air conditioner, the windows can be kept closed at night-even in hot weather.

Medication- Antihistamines help control the runny nose and itchy eyes that allergic rhinitis causes. There are many brands; we can prescribe the one we think will work best for your child. If it makes the child sleepy or causes other side effects such as dry mouth, let us know.

Antihistamines do not decrease nasal congestion, however we may prescribe a nasal decongestant. These are taken by mouth in liquid or capsule or tablet form. Decongestant sprays while available should not be use for more than two days. Anti-inflammatory nasal sprays are a third kind of medication often used for allergic rhinitis. They are most effective when used regularly even when the child is symptom free, rather on an as-needed basis.

Allergy injections- if environmental controls and medications don't solve the problem, we may refer your child to an allergist for skin testing and a series of desensitizing injections. These injections usually work well when the allergens are pollens, dust mites or animal dander; they are less effective against molds.

Allergy shots are not used for food allergy. Before beginning the series, the allergist will take a complete history and use skin tests to identify the particular allergens your child is sensitive to. The course of injections usually takes several years, but symptomatic relief often continues long after that. Some children need no further medication, while others may require environmental controls, medications and allergy shots. With the correct approach almost all children will find complete relief from allergy symptoms and be able to function very nicely.

Call us if:

- The treatment does not relive most of the symptoms within two weeks
- The secretions become thick yellow for more than one week
- Your child develops sinus pain and pressure
- Your child is missing school, work or social activities because of this
- It keeps the child from playing or sleeping.

TRAVEL VACCINATION CENTER

*Somerset Professional Plaza • 1527 Rt. 27 South • Suite 1600 • Somerset NJ 08873 •
Dayton Professional center, 401 Ridge Rd. Suite 2, Dayton, NJ 08810
(732) 418-1700 • Fax (732) 249 9599*